

01 Clarus®

The latest advances in lighting technology right now are characterised by LED lamps. Our picture light is equipped with 3000 Kelvin as standard. The highly constant light output alongside low power consumption and an extremely long lifespan are ideal conditions for modern picture lighting.

Application: lighting pictures, menus and music stands.

Material: brass, illuminant: single LED, LED-CEE: C, Ra: 90, ballast unit 20W: 107 x 41 x 22 mm, primary voltage: 220-240V, secondary voltage: DC 24V, rotatable fluorescent tube: Ø 14 mm, bracket tube: Ø 6 mm

Scope of delivery: whole lamp with illuminant, mounting set and a dimmable ballast unit.

IP20



CE

Design: Horst Lettenmayer © betec

Colour	Article number
Brass polished	01 MO -- -- --
Brass mat	01 MM -- -- --
Chrome	01 CO -- -- --
Nickel polished	01 NO -- -- --
Nickel mat	01 NM -- -- --
Brown	01 BO -- -- --
Black mat	01 SM -- -- --
Gold 24ct polished	01 GO -- -- --
Gold 24ct mat	01 GM -- -- --

Colour	Length	Light output	Article number
Brass	160 mm	0,6 Watt	01 MO 01 -- --
Brass	260 mm	1,8 Watt	01 MO 02 -- --
Brass	360 mm	3,0 Watt	01 MO 03 -- --
Brass	460 mm	4,2 Watt	01 MO 04 -- --
Brass	560 mm	5,4 Watt	01 MO 05 -- --
Brass	660 mm	6,6 Watt	01 MO 06 -- --
Brass	760 mm	7,8 Watt	01 MO 07 -- --
Brass	860 mm	9,0 Watt	01 MO 08 -- --
Brass	960 mm	10,2 Watt	01 MO 09 -- --
Brass	1060 mm	11,4 Watt	01 MO 10 -- --
Brass	1160 mm	12,6 Watt	01 MO 11 -- --

LED Mono + Light colour: -- -- -- **M** --

2400K	Warm tone	RA 80+/ 750Lm/m	01 -- -- MW --
2700K	Neutral	RA 90+/ 1640Lm/m	01 -- -- MN --
3000K	Daylight	RA 90+/ 750Lm/m	01 -- -- MT --



Arm Type

Width

Article number

Type **11**

110 mm

01 -- -- -- **11**

Type **17**

170 mm

01 -- -- -- **17**

Type **22**

220 mm

01 -- -- -- **22**

Coupling arm




11 cm

Type 11



17 cm

Type 17



22 cm

Type 22



For each type

Coupling arm

Special option touch dimmer

Article number



50TD01LD24



