

07 Minimus

As an extension to our "Clarus" lamp, but with a tube diameter of 18 mm, this lamp was developed for the use of a dual LED unit. The double brightness of the "Minimus" is a decisive factor for choosing this product. As a secondary effect, this painting lamp can also be used to brighten rooms. The output light mainly brightens the object in question, but the inevitable scattered light emitted from the lamp fills the room with a basic level of brightness that is an unperceived requirement for our well-being. Application: picture lighting, menu lighting and music stand lighting.

Material: brass, illuminant: dual LED, LED-CEE: F, Ra: 90, ballast unit: 220-240V, secondary voltage: DC 24V, 12W ballast unit: 94 x 36 x 18 mm, 30W ballast unit: 133 x 46 x 24 mm, rotatable fluorescent tube: Ø 18 mm, bracket tube: Ø 8 mm

Scope of delivery: whole lamp with illuminant, mounting set and a dimmable ballast unit.

IP20



CE

Design: Horst Lettenmayer © betec

Colour	Article number
Brass polished	07 MO -- -- --
Brass mat	07 MM -- -- --
Chrome	07 CO -- -- --
Nickel polished	07 NO -- -- --
Nickel mat	07 NM -- -- --
Brown	07 BO -- -- --
Black mat	07 SM -- -- --
Gold 24ct polished	07 GO -- -- --
Gold 24ct mat	07 GM -- -- --

Colour	Length	Light output	Article number
Brass	591 mm	14 Watt	07 MO 06 -- --
Brass	891 mm	23 Watt	07 MO 09 -- --
Brass	1191 mm	32 Watt	07 MO 12 -- --

LED Duo + Light colour:			-- -- -- D -- --
2400K	Warm tone	RA 80+/1500Lm/m	07 -- -- DW --
2700K	Neutral	RA 90+/3280Lm/m	07 -- -- DN --
3000K	Daylight	RA 90+/1500Lm/m	07 -- -- DT --



